



EN 14411:2012

05

DECLARATION OF PERFORMANCE DOP.PG - GL

(in accordance to Annex III of the Regulation (EU) No. 305/2011
of the European Parliament and of the Council of 9th of March 2011)

Glazed Dry Pressed Ceramic Tiles with water absorption $E_b \leq 0,5\%$

1.Product Identification

Unique identification code of the product-type

DOP.PG - GL - Glazed Dry Pressed Ceramic Tiles, with water absorption $E_b \leq 0,5\%$ (EN 14411:2012 - Group Bla - GL), in accordance to CINCA catalogues in force at date of this statement.

For the information about the range, size, reference and batch please refer to the marks on the boxes.

2.Intended Use

Intended use or uses of the construction product, in accordance with the applicable harmonized technical specification, as foreseen by the manufacturer

Ceramic tiles for wall and floor finishes, interiors and exteriors, excluding the use as wall coverings when subject to specific regulations on hazardous substances (ex: when glazed products are used on surfaces where they have direct contact with food).

3.Manufacturer

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant to Article 11 (5)

CINCA - Companhia Industrial de Cerâmica, S.A.
Rua Principal, 39 - Apartado 12
P-4509-908 Fiães VFR
PORTUGAL

4.Authorised Representative

Where applicable, name and contact address of the authorized representative whose mandate covers the tasks specified in Article 12 (2)

Not Applicable.

5.System of Assessment

System or systems of assessment and verification of constancy of performance of the construction product as set out in Annex V

System 4 in accordance to Annex V, section 1.5 of the Regulation (EU) No. 305/2011 of the European Parliament and of the Council of 9th of March 2011.

6.Harmonized Standard

In case of the declaration of performance concerning a construction product covered by a harmonized standard

EN 14411:2012
Group Bla - GL

Notified Body

NB 0855

CENTRO TECNOLÓGICO DA CERÂMICA E DO VIDRO
R. Coronel Veiga Simão Apartado 8052
3020-053 COIMBRA
PORTUGAL

Telephone: (+351) 239 499 200
Fax: (+351) 239 499 204
Email: centro@ctcv.pt
Website: www.ctcv.pt

7.Declared Performance

Essential Characteristics	Performance	Test Standard	Harmonized Technical Specification
Reaction to Fire	Class A1 / A1 _{FL}	CWT (Dec. 96/603/EC)	
Release of Dangerous Substances, for:			
- Cadmium	≤ 0,005 mg/dm ²	EN ISO 10545-15	
- Lead	≤ 0,05 mg/dm ²	EN ISO 10545-15	
Breaking Strength, for:			
- Thickness ≥ 7,5 mm	≥ 1300 N	EN ISO 10545-4	
- Thickness < 7,5 mm	≥ 700 N	EN ISO 10545-4	
Bond Strength / Adhesion, for:	See Note (1)		
- Cementitious Adhesives (Type C2)	> 1 N/mm ²	EN 12004 4.1	EN 14411:2012
- Dispersion Adhesives (Type D1)	> 1 N/mm ²	EN 12004 4.2	
- Reaction Resin Adhesives (Type R2)	> 2 N/mm ²	EN 12004 4.3	
- Mortar	NPD	EN 1015-12	
Thermal Shock Resistance	Pass	EN ISO 10545-9	
Slipperiness, for:			
- Barefoot (Ramp Test, Annex A)	See Annex PG-GL	CEN/TS 16165	
- Shod (Ramp Test, Annex B)	See Annex PG-GL	CEN/TS 16165	
Tactility	NPD	CEN/TS 15209	
Durability, for:			
- Internal Uses:	Pass	-	
- External Uses: Freeze-thaw Resistance	Pass	EN ISO 10545-12	

Note (1): The laboratorial determination regarding the adhesion of ceramic tiles to mortar / cement glue is merely indicative and relevant only under certain specific circumstances, namely, according to the harmonized standard, "only when the tile is used on walls subject to requisites against the fall of objects in trafficable areas.". The results obtained and declared are a result of tests carried out under ideal laboratorial conditions, and therefore a correlation between the declared adhesion results and the performance of the tile in use may not exist, since application techniques and the different types of support can strongly influence the final performance.

Note (2): Under Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18th of December 2006 (REACH), article 3, number 3, floor and wall tiles are considered articles and are not expected to release any substances when used in normal and reasonably predicted conditions, reason why any safety data sheet for its fixing, transport or use in the market, is not necessary.


Note (3): Wall and floor tiles are not classified as hazardous according to the Regulation (EC) No. 1272/2008 of the European Parliament and of the Council of 16th of December 2008.

Declaration


The performance of the product identified above is in conformity with the set of declared performances. This declaration of performance is issued, in accordance with Regulation (EU) N.º 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

José Nunes do Amaral
General Manager



Luís Pedro Mota
Quality, Environment & Safety Manager



At Fiães on 01-07-2014

0108201410595

Mais informações em ❖ More information on ❖ Plus d'informations sur ❖ Mehr Infos unter

www.cinca.pt

DECLARAÇÃO DE DESEMPENHO (ANEXO PG-GL)

DECLARATION OF PERFORMANCE (ANNEX PG-GL) ❖ DÉCLARATION DES PERFORMANCES (ANNEXE PG-GL)
LEISTUNGSERKLÄRUNG (ANHANG PG-GL) ❖ DICHIARAZIONE DI PRESTRAZIONE (ALLEGATO PG-GL)

Série Range Série Serie Serie	Formato Size Format Formato	Referência Reference Référence Referenz Codici	Escorregamento Slipperiness ❖ Glissance ❖ Rutschung ❖ Scivolosità							
			(EU)			(DE)		(FR)		(ES)
			CEN TS 16165			DIN		NF		CTC
			A	B	C	51097	51130	XP P 05-010		
	Barefoot	Shod	TRL			PC	PN			
Pool	M 12,5 x 25 x 0,7 cm	5000	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
Pool	M 12,5 x 25 x 0,7 cm	5009	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
Pool	M 12,5 x 25 x 0,7 cm	5015	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
Pool	M 12,5 x 25 x 0,7 cm	5099	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
Pool	M 12,5 x 25 x 0,7 cm	5500	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
Pool	M 12,5 x 25 x 0,7 cm	5501	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
Pool	M 12,5 x 25 x 0,7 cm	5502	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
Pool	M 12,5 x 25 x 0,7 cm	5503	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
Pool	M 12,5 x 25 x 0,7 cm	5504	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
Pool	M 12,5 x 25 x 0,7 cm	5505	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
Pool	M 12,5 x 25 x 0,7 cm	5507	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
Pool	M 12,5 x 25 x 0,7 cm	5509	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
Pool	M 12,5 x 25 x 0,7 cm	5510	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
Pool	M 12,5 x 25 x 0,7 cm	5512	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
Pool	M 12,5 x 25 x 0,7 cm	5514	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
Pool	M 12,5 x 25 x 0,7 cm	5515	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
Pool	M 12,5 x 25 x 0,7 cm	5518	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
Pool	M 12,5 x 25 x 0,7 cm	5523	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
Pool	M 12,5 x 25 x 0,7 cm	5530	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
Pool	M 12,5 x 25 x 0,7 cm	5532	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
Pool	M 12,5 x 25 x 0,7 cm	5537	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
Pool	M 12,5 x 25 x 0,7 cm	5540	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
Pool	M 12,5 x 25 x 0,7 cm	5541	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
Pool	M 12,5 x 25 x 0,7 cm	5542	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
Pool	M 12,5 x 25 x 0,7 cm	5581	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
Pool	M 12,5 x 25 x 0,7 cm	5583	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
Pool	M 12,5 x 25 x 0,7 cm	5588	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
Pool	M 12,5 x 25 x 0,7 cm	5595	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
Pool	M 12,5 x 25 x 0,7 cm	5599	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
Pool	M 12,5 x 25 x 0,7 cm AD1	5500	≥ 18°	NPD	NPD	B	s.c.	NPD	PN18	NPD

Escorregamento
Slipperiness ❖ Glissance ❖ Rutschung ❖ Scivolosità

Série Range Série Serie Serie	Formato Size Format Format Formato	Referência Reference Référence Referenz Codici	(EU)			(DE)		(FR)		(ES)
			CEN TS 16165			DIN		NF		CTC
			A	B	C	51097	51130	XP P 05-010		
			Barefoot	Shod	TRL			PC	PN	
Pool	M 12,5 x 25 x 0,7 cm AD1	5509	≥ 18°	NPD	NPD	B	s.c.	NPD	PN18	NPD
Pool	M 12,5 x 25 x 0,7 cm AD1	5515	≥ 18°	NPD	NPD	B	s.c.	NPD	PN18	NPD
Pool	M 12,5 x 25 x 0,7 cm AD1	5523	≥ 18°	NPD	NPD	B	s.c.	NPD	PN18	NPD
Pool	M 12,5 x 25 x 0,7 cm AD1	5540	≥ 18°	NPD	NPD	B	s.c.	NPD	PN18	NPD
Pool	M 12,5 x 25 x 0,7 cm AD1	5583	≥ 18°	NPD	NPD	B	s.c.	NPD	PN18	NPD
Pool	M 12,5 x 25 x 0,7 cm AD1	5599	≥ 18°	NPD	NPD	B	s.c.	NPD	PN18	NPD
Pool	M 12,5 x 25 x 0,7 cm AD2	5500	≥ 24°	NPD	NPD	C	s.c.	NPD	PN24	NPD
Pool	M 12,5 x 25 x 0,7 cm AD2	5515	≥ 24°	NPD	NPD	C	s.c.	NPD	PN24	NPD
Pool	M 12,5 x 25 x 0,7 cm AD2	5540	≥ 24°	NPD	NPD	C	s.c.	NPD	PN24	NPD
Pool	M 12,5 x 25 x 0,7 cm AD2	5583	≥ 24°	NPD	NPD	C	s.c.	NPD	PN24	NPD
Pool	M 12,5 x 25 x 0,7 cm AD2	5599	≥ 24°	NPD	NPD	C	s.c.	NPD	PN24	NPD
Allure	33 x 33 x 0,8 cm	8558	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
Allure	33 x 33 x 0,8 cm	8559	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
Allure	33 x 33 x 0,8 cm	8560	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
Allure	33 x 33 x 0,8 cm	8561	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
Allure	33 x 33 x 0,8 cm	8562	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
Allure	33 x 33 x 0,8 cm	8563	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
Allure	33 x 33 x 0,8 cm	8564	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
Allure	33 x 33 x 0,8 cm	8565	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
Allure	33 x 33 x 0,8 cm	8566	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
Allure	33 x 33 x 0,8 cm	8567	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
Allure	33 x 33 x 0,8 cm	8568	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
Allure	33 x 33 x 0,8 cm	8569	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
Allure	33 x 33 x 0,8 cm	8570	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
Allure	33 x 33 x 0,8 cm	8571	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
Allure	33 x 33 x 0,8 cm	8572	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
Allure	33 x 33 x 0,8 cm	8573	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
Allure	M 50 x 50 x 0,97 cm	8558	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
Allure	M 50 x 50 x 0,97 cm	8559	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
Allure	M 50 x 50 x 0,97 cm	8560	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
Allure	M 50 x 50 x 0,97 cm	8561	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
Allure	M 50 x 50 x 0,97 cm	8562	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
Allure	M 50 x 50 x 0,97 cm	8563	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
Allure	M 50 x 50 x 0,97 cm	8564	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
Allure	M 50 x 50 x 0,97 cm	8565	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
Allure	M 50 x 50 x 0,97 cm	8566	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
Allure	M 50 x 50 x 0,97 cm	8567	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD

Escorregamento Slipperiness ❖ Glissance ❖ Rutschung ❖ Scivolosità										
Série Range Série Serie Serie	Formato Size Format Format Formato	Referência Reference Référence Referenz Codici	(EU)			(DE)		(FR)		(ES)
			CEN TS 16165			DIN		NF		CTC
			A	B	C	51097	51130	XP P 05-010		
			Barefoot	Shod	TRL			PC	PN	
Allure	M 50 x 50 x 0,97 cm	8568	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
Allure	M 50 x 50 x 0,97 cm	8569	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
Allure	M 50 x 50 x 0,97 cm	8570	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
Allure	M 50 x 50 x 0,97 cm	8571	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
Allure	M 50 x 50 x 0,97 cm	8572	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
Allure	M 50 x 50 x 0,97 cm	8573	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
Area	M 50 x 50 x 0,97 cm	8611	≥ 24°	> 20°	NPD	C	R11	PC20	PN24	NPD
Area	M 50 x 50 x 0,97 cm	8613	≥ 24°	> 20°	NPD	C	R11	PC20	PN24	NPD
Assouan Stone	M 50 x 50 x 0,97 cm	8605	≥ 24°	> 20°	NPD	C	R11	PC20	PN24	NPD
Assouan Stone	M 50 x 50 x 0,97 cm	8606	≥ 24°	> 20°	NPD	C	R11	PC20	PN24	NPD
Assouan Stone	M 50 x 50 x 0,97 cm	8607	≥ 24°	> 20°	NPD	C	R11	PC20	PN24	NPD
Bastille	48 x 48 x 0,97 cm P	9010	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
Bolshoi	32 x 32 x 0,8 cm	8475	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
Bolshoi	32 x 32 x 0,8 cm	8476	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
Boreal	33 x 33 x 0,8 cm	7250	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
Boreal	33 x 33 x 0,8 cm	7252	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
Boreal	33 x 33 x 0,8 cm	7253	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
Boreal	33 x 33 x 0,8 cm	7254	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
Boreal	33 x 33 x 0,8 cm	7255	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
Boreal	33 x 33 x 0,8 cm	7256	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
Boreal	M 40 x 40 x 0,87 cm	7250	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
Boreal	M 40 x 40 x 0,87 cm	7252	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
Brancos	49 x 99 x 1,1 cm	9000	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
Brancos	M 50 x 50 x 0,97 cm	5500	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
City	M 40 x 40 x 0,8 cm	8464	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
City	M 40 x 40 x 0,8 cm	8467	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
City	M 40 x 40 x 0,8 cm	8468	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
City	M 40 x 40 x 0,8 cm	8472	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
City	M 40 x 40 x 0,8 cm	8473	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
City	M 40 x 40 x 0,8 cm	8474	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
Coimbra	33 x 33 x 0,8 cm	8135	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
Coimbra	33 x 33 x 0,8 cm	8136	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
Coimbra	33 x 33 x 0,8 cm	8137	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
Colorado	M 40 x 40 x 0,87 cm	8150	NPD	> 20°	NPD	s.c.	R11	PC20	NPD	NPD
Colorado	M 40 x 40 x 0,87 cm	8151	NPD	> 20°	NPD	s.c.	R11	PC20	NPD	NPD
Colorado	M 40 x 40 x 0,87 cm	8152	NPD	> 20°	NPD	s.c.	R11	PC20	NPD	NPD
Cotto d'Alcobaça	16 x 33 x 0,8 cm	8200	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD

Escorregamento
Slipperiness ❖ Glissance ❖ Rutschung ❖ Scivolosità

Série Range Série Serie Serie	Formato Size Format Format Formato	Referência Reference Référence Referenz Codici	(EU)			(DE)		(FR)		(ES)
			CEN TS 16165			DIN		NF		CTC
			A	B	C	51097	51130	XP P 05-010		
			Barefoot	Shod	TRL			PC	PN	
Cotto d'Alcobaça	16 x 33 x 0,8 cm	8202	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
Cotto d'Alcobaça	16 x 33 x 0,8 cm	8204	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
Cotto d'Alcobaça	16 x 33 x 0,8 cm	8206	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
Cotto d'Alcobaça	33 x 33 x 0,8 cm	8200	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
Cotto d'Alcobaça	33 x 33 x 0,8 cm	8202	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
Cotto d'Alcobaça	33 x 33 x 0,8 cm	8204	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
Cotto d'Alcobaça	33 x 33 x 0,8 cm	8206	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
Cotto d'Alcobaça	33 x 33 x 0,8 cm AD	8200	≥ 24°	> 28°	NPD	C	R12	PC27	PN24	NPD
Cotto d'Alcobaça	33 x 33 x 0,8 cm AD	8202	≥ 24°	> 28°	NPD	C	R12	PC27	PN24	NPD
Cotto d'Alcobaça	33 x 33 x 0,8 cm AD	8204	≥ 24°	> 28°	NPD	C	R12	PC27	PN24	NPD
Cotto d'Alcobaça	33 x 33 x 0,8 cm AD	8206	≥ 24°	> 28°	NPD	C	R12	PC27	PN24	NPD
Cotto d'Alcobaça	33 x 33 x 0,8 cm L	8200	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
Cotto d'Alcobaça	33 x 33 x 0,8 cm L	8202	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
Cotto d'Alcobaça	33 x 33 x 0,8 cm L	8204	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
Cotto d'Alcobaça	33 x 33 x 0,8 cm L	8206	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
Country	M 40 x 40 x 0,8 cm	8465	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
Country	M 40 x 40 x 0,8 cm	8466	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
Country	M 40 x 40 x 0,8 cm	8469	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
Dolmen	30 x 30 x 1,05 cm	8441	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
Dolmen	30 x 30 x 1,05 cm	8442	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
Dolmen	30 x 30 x 1,05 cm	8444	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
Dolmen	30 x 30 x 1,05 cm	8445	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
Dolmen	30 x 60 x 1,05 cm	8441	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
Dolmen	30 x 60 x 1,05 cm	8442	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
Dolmen	30 x 60 x 1,05 cm	8444	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
Dolmen	30 x 60 x 1,05 cm	8445	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
Dolmen	30 x 60,4 x 0,95 cm	8441	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
Dolmen	30 x 60,4 x 0,95 cm	8442	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
Dolmen	30 x 60,4 x 0,95 cm	8444	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
Dolmen	30 x 60,4 x 0,95 cm	8445	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
Dolmen	60 x 60 x 1,05 cm	8441	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
Dolmen	60 x 60 x 1,05 cm	8442	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
Dolmen	60 x 60 x 1,05 cm	8444	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
Dolmen	60 x 60 x 1,05 cm	8445	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
Dolmen	60,8 x 60,8 x 1,05 cm	8441	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
Dolmen	60,8 x 60,8 x 1,05 cm	8442	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
Dolmen	60,8 x 60,8 x 1,05 cm	8444	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD

Escorregamento Slipperiness ❖ Glissance ❖ Rutschung ❖ Scivolosità										
Série Range Série Serie Serie	Formato Size Format Formato	Referência Reference Référence Referenz Codici	(EU) CEN TS 16165			(DE) DIN		(FR) NF		(ES) CTC
			A	B	C	51097	51130	XP P 05-010		
			Barefoot	Shod	TRL			PC	PN	
Dolmen	60,8 x 60,8 x 1,05 cm	8445	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
Everest	49 x 99 x 1,1 cm	8630	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
Évora	33 x 33 x 0,8 cm	8183	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
Évora	33 x 33 x 0,8 cm	8184	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
Évora	33 x 33 x 0,8 cm	8186	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
Évora	M 40 x 40 x 0,87 cm	8183	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
Évora	M 40 x 40 x 0,87 cm	8184	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
Évora	M 40 x 40 x 0,87 cm	8186	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
Flash	24,5 x 49 x 0,97cm	8395	≥ 12°	≥ 6°	NPD	A	R9	PC6	PN12	NPD
Flash	24,5 x 49 x 0,97cm	8396	≥ 12°	≥ 6°	NPD	A	R9	PC6	PN12	NPD
Flash	49 x 49 x 0,97cm	8395	≥ 12°	≥ 6°	NPD	A	R9	PC6	PN12	NPD
Flash	49 x 49 x 0,97cm	8396	≥ 12°	≥ 6°	NPD	A	R9	PC6	PN12	NPD
Flash	M 50 x 50 x 0,97 cm	8191	≥ 12°	≥ 6°	NPD	A	R9	PC6	PN12	NPD
Flash	M 50 x 50 x 0,97 cm	8192	≥ 12°	≥ 6°	NPD	A	R9	PC6	PN12	NPD
Forum	33 x 33 x 0,8 cm	8190	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
Forum	33 x 33 x 0,8 cm	8191	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
Forum	33 x 33 x 0,8 cm	8192	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
Forum	33 x 33 x 0,8 cm	8193	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
Forum	M 50 x 50 x 0,97 cm	8190	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
Forum	M 50 x 50 x 0,97 cm	8191	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
Forum	M 50 x 50 x 0,97 cm	8192	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
Forum	M 50 x 50 x 0,97 cm	8193	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
Fóssil	33 x 33 x 0,8 cm	8128	NPD	> 11°	NPD	s.c.	R10	PC10	NPD	NPD
Fóssil	33 x 33 x 0,8 cm	8129	NPD	> 11°	NPD	s.c.	R10	PC10	NPD	NPD
Fóssil	M 20 x 20 x 0,87 cm	8128	NPD	> 11°	NPD	s.c.	R10	PC10	NPD	NPD
Fóssil	M 20 x 20 x 0,87 cm	8129	NPD	> 11°	NPD	s.c.	R10	PC10	NPD	NPD
Fóssil	M 40 x 40 x 0,87 cm	8128	NPD	> 11°	NPD	s.c.	R10	PC10	NPD	NPD
Fóssil	M 40 x 40 x 0,87 cm	8129	NPD	> 11°	NPD	s.c.	R10	PC10	NPD	NPD
Halley	M 50 x 50 x 0,97 cm	8230	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
Halley	M 50 x 50 x 0,97 cm	8231	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
Heart Of Stone	12 x 49 x 0,97cm	8160	≥ 12°	> 11°	39	A	R10	PC10	PN12	Clase 2
Heart Of Stone	12 x 49 x 0,97cm	8161	≥ 12°	> 11°	39	A	R10	PC10	PN12	Clase 2
Heart Of Stone	12 x 49 x 0,97cm	8162	≥ 12°	> 11°	39	A	R10	PC10	PN12	Clase 2
Heart Of Stone	12 x 49 x 0,97cm	8163	≥ 12°	> 11°	39	A	R10	PC10	PN12	Clase 2
Heart Of Stone	12 x 49 x 0,97cm	8164	≥ 12°	> 11°	39	A	R10	PC10	PN12	Clase 2
Heart Of Stone	16 x 16 x 0,8 cm	8160	≥ 12°	> 11°	39	A	R10	PC10	PN12	Clase 2
Heart Of Stone	16 x 16 x 0,8 cm	8161	≥ 12°	> 11°	39	A	R10	PC10	PN12	Clase 2

Escorregamento Slipperiness ❖ Glissance ❖ Rutschung ❖ Scivolosità										
Série Range Série Serie Serie	Formato Size Format Formato	Referência Reference Référence Referenz Codici	(EU) CEN TS 16165			(DE) DIN		(FR) NF		(ES) CTC
			A	B	C	51097	51130	XP P 05-010		
			Barefoot	Shod	TRL			PC	PN	
Heart Of Stone	16 x 16 x 0,8 cm	8162	≥ 12°	> 11°	39	A	R10	PC10	PN12	Clase 2
Heart Of Stone	16 x 16 x 0,8 cm	8163	≥ 12°	> 11°	39	A	R10	PC10	PN12	Clase 2
Heart Of Stone	16 x 16 x 0,8 cm	8164	≥ 12°	> 11°	39	A	R10	PC10	PN12	Clase 2
Heart Of Stone	16 x 33 x 0,8 cm	8160	≥ 12°	> 11°	39	A	R10	PC10	PN12	Clase 2
Heart Of Stone	16 x 33 x 0,8 cm	8161	≥ 12°	> 11°	39	A	R10	PC10	PN12	Clase 2
Heart Of Stone	16 x 33 x 0,8 cm	8162	≥ 12°	> 11°	39	A	R10	PC10	PN12	Clase 2
Heart Of Stone	16 x 33 x 0,8 cm	8163	≥ 12°	> 11°	39	A	R10	PC10	PN12	Clase 2
Heart Of Stone	16 x 33 x 0,8 cm	8164	≥ 12°	> 11°	39	A	R10	PC10	PN12	Clase 2
Heart Of Stone	32 x 49 x 0,97cm	8160	≥ 12°	> 11°	39	A	R10	PC10	PN12	Clase 2
Heart Of Stone	32 x 49 x 0,97cm	8161	≥ 12°	> 11°	39	A	R10	PC10	PN12	Clase 2
Heart Of Stone	32 x 49 x 0,97cm	8162	≥ 12°	> 11°	39	A	R10	PC10	PN12	Clase 2
Heart Of Stone	32 x 49 x 0,97cm	8163	≥ 12°	> 11°	39	A	R10	PC10	PN12	Clase 2
Heart Of Stone	32 x 49 x 0,97cm	8164	≥ 12°	> 11°	39	A	R10	PC10	PN12	Clase 2
Heart Of Stone	33 x 33 x 0,8 cm	8160	≥ 12°	> 11°	39	A	R10	PC10	PN12	Clase 2
Heart Of Stone	33 x 33 x 0,8 cm	8161	≥ 12°	> 11°	39	A	R10	PC10	PN12	Clase 2
Heart Of Stone	33 x 33 x 0,8 cm	8162	≥ 12°	> 11°	39	A	R10	PC10	PN12	Clase 2
Heart Of Stone	33 x 33 x 0,8 cm	8163	≥ 12°	> 11°	39	A	R10	PC10	PN12	Clase 2
Heart Of Stone	33 x 33 x 0,8 cm	8164	≥ 12°	> 11°	39	A	R10	PC10	PN12	Clase 2
Heart Of Stone	49 x 49 x 0,97 cm	8160	≥ 12°	> 11°	39	A	R10	PC10	PN12	Clase 2
Heart Of Stone	49 x 49 x 0,97 cm	8161	≥ 12°	> 11°	39	A	R10	PC10	PN12	Clase 2
Heart Of Stone	49 x 49 x 0,97 cm	8162	≥ 12°	> 11°	39	A	R10	PC10	PN12	Clase 2
Heart Of Stone	49 x 49 x 0,97 cm	8163	≥ 12°	> 11°	39	A	R10	PC10	PN12	Clase 2
Heart Of Stone	49 x 49 x 0,97 cm	8164	≥ 12°	> 11°	39	A	R10	PC10	PN12	Clase 2
Heart Of Stone	49 x 99 x 1,1 cm	8160	≥ 12°	> 11°	39	A	R10	PC10	PN12	Clase 2
Heart Of Stone	49 x 99 x 1,1 cm	8161	≥ 12°	> 11°	39	A	R10	PC10	PN12	Clase 2
Heart Of Stone	49 x 99 x 1,1 cm	8162	≥ 12°	> 11°	39	A	R10	PC10	PN12	Clase 2
Heart Of Stone	49 x 99 x 1,1 cm	8163	≥ 12°	> 11°	39	A	R10	PC10	PN12	Clase 2
Heart Of Stone	49 x 99 x 1,1 cm	8164	≥ 12°	> 11°	39	A	R10	PC10	PN12	Clase 2
Heart Of Stone	8,5 x 49 x 0,97 cm	8160	≥ 12°	> 11°	39	A	R10	PC10	PN12	Clase 2
Heart Of Stone	8,5 x 49 x 0,97 cm	8161	≥ 12°	> 11°	39	A	R10	PC10	PN12	Clase 2
Heart Of Stone	8,5 x 49 x 0,97 cm	8162	≥ 12°	> 11°	39	A	R10	PC10	PN12	Clase 2
Heart Of Stone	8,5 x 49 x 0,97 cm	8163	≥ 12°	> 11°	39	A	R10	PC10	PN12	Clase 2
Heart Of Stone	8,5 x 49 x 0,97 cm	8164	≥ 12°	> 11°	39	A	R10	PC10	PN12	Clase 2
Heart Of Stone	M 50 x 50 x 0,97 cm	8160	≥ 12°	> 11°	39	A	R10	PC10	PN12	Clase 2
Heart Of Stone	M 50 x 50 x 0,97 cm	8161	≥ 12°	> 11°	39	A	R10	PC10	PN12	Clase 2
Heart Of Stone	M 50 x 50 x 0,97 cm	8162	≥ 12°	> 11°	39	A	R10	PC10	PN12	Clase 2
Heart Of Stone	M 50 x 50 x 0,97 cm	8163	≥ 12°	> 11°	39	A	R10	PC10	PN12	Clase 2

Escorregamento Slipperiness ❖ Glissance ❖ Rutschung ❖ Scivolosità										
Série Range Série Serie Serie	Formato Size Format Format Formato	Referência Reference Référence Referenz Codici	(EU) CEN TS 16165			(DE) DIN		(FR) NF		(ES) CTC
			A	B	C	51097	51130	XP P 05-010		
			Barefoot	Shod	TRL			PC	PN	
Heart Of Stone	M 50 x 50 x 0,97 cm	8164	≥ 12°	> 11°	39	A	R10	PC10	PN12	Clase 2
Highlander	49 x 49 x 0,97cm	8610	≥ 24°	> 20°	46	C	R11	PC20	PN24	Clase 3
Highlander	49 x 49 x 0,97cm	8612	≥ 24°	> 20°	46	C	R11	PC20	PN24	Clase 3
Highlander	49 x 99 x 1,1 cm	8610	≥ 24°	> 20°	46	C	R11	PC20	PN24	Clase 3
Highlander	49 x 99 x 1,1 cm	8612	≥ 24°	> 20°	46	C	R11	PC20	PN24	Clase 3
Highlander	M 50 x 50 x 0,97 cm	8610	≥ 24°	> 20°	46	C	R11	PC20	PN24	Clase 3
Highlander	M 50 x 50 x 0,97 cm	8612	≥ 24°	> 20°	46	C	R11	PC20	PN24	Clase 3
Homero	33 x 33 x 0,8 cm	8295	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
Homero	33 x 33 x 0,8 cm	8296	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
Homero	33 x 33 x 0,8 cm	8297	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
Homero	33 x 33 x 0,8 cm	8298	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
Homero	33 x 33 x 0,8 cm	8299	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
Homero	M 40 x 40 x 0,87 cm	8295	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
Homero	M 40 x 40 x 0,87 cm	8296	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
Homero	M 40 x 40 x 0,87 cm	8297	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
Homero	M 40 x 40 x 0,87 cm	8298	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
Homero	M 40 x 40 x 0,87 cm	8299	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
Illusion	15 x 60 x 1,05 cm	8451	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
Illusion	15 x 60 x 1,05 cm	8452	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
Illusion	15 x 60 x 1,05 cm	8453	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
Illusion	15 x 60 x 1,05 cm	8454	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
Illusion	15 x 60 x 1,05 cm	8455	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
Illusion	30 x 60 x 1,05 cm	8451	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
Illusion	30 x 60 x 1,05 cm	8452	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
Illusion	30 x 60 x 1,05 cm	8453	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
Illusion	30 x 60 x 1,05 cm	8454	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
Illusion	30 x 60 x 1,05 cm	8455	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
Illusion	60 x 60 x 1,05 cm	8451	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
Illusion	60 x 60 x 1,05 cm	8452	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
Illusion	60 x 60 x 1,05 cm	8453	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
Illusion	60 x 60 x 1,05 cm	8454	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
Illusion	60 x 60 x 1,05 cm	8455	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
Matrix	12 x 49 x 0,97cm	8390	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
Matrix	12 x 49 x 0,97cm	8391	≥ 12°	≥ 6°	NPD	A	R9	PC6	PN12	NPD
Matrix	24,5 x 49 x 0,97cm	8390	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
Matrix	24,5 x 49 x 0,97cm	8391	≥ 12°	≥ 6°	NPD	A	R9	PC6	PN12	NPD
Matrix	49 x 49 x 0,97cm	8390	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD

Escorregamento Slipperiness ❖ Glissance ❖ Rutschung ❖ Scivolosità										
Série Range Série Serie Serie	Formato Size Format Formato	Referência Reference Référence Referenz Codici	(EU) CEN TS 16165			(DE) DIN		(FR) NF		(ES) CTC
			A	B	C	51097	51130	XP P 05-010		
			Barefoot	Shod	TRL			PC	PN	
Matrix	49 x 49 x 0,97cm	8391	≥ 12°	≥ 6°	NPD	A	R9	PC6	PN12	NPD
Matrix	M 50 x 50 x 0,97 cm	8390	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
Matrix	M 50 x 50 x 0,97 cm	8391	≥ 12°	≥ 6°	NPD	A	R9	PC6	PN12	NPD
Menhir	49 x 49 x 0,97cm	8411	≥ 12°	≥ 6°	NPD	A	R9	PC6	PN12	NPD
Menhir	49 x 49 x 0,97cm	8412	≥ 12°	≥ 6°	NPD	A	R9	PC6	PN12	NPD
Menhir	49 x 49 x 0,97cm	8413	≥ 12°	≥ 6°	NPD	A	R9	PC6	PN12	NPD
Menhir	49 x 49 x 0,97cm	8414	≥ 12°	≥ 6°	NPD	A	R9	PC6	PN12	NPD
Menhir	M 50 x 50 x 0,97 cm	8411	≥ 12°	≥ 6°	NPD	A	R9	PC6	PN12	NPD
Menhir	M 50 x 50 x 0,97 cm	8412	≥ 12°	≥ 6°	NPD	A	R9	PC6	PN12	NPD
Menhir	M 50 x 50 x 0,97 cm	8413	≥ 12°	≥ 6°	NPD	A	R9	PC6	PN12	NPD
Menhir	M 50 x 50 x 0,97 cm	8414	≥ 12°	≥ 6°	NPD	A	R9	PC6	PN12	NPD
Moonlight	24,5 x 49 x 0,97cm	8397	≥ 12°	≥ 6°	NPD	A	R9	PC6	PN12	NPD
Moonlight	49 x 49 x 0,97cm	8397	≥ 12°	≥ 6°	NPD	A	R9	PC6	PN12	NPD
Moonlight	M 50 x 50 x 0,97 cm	8397	≥ 12°	≥ 6°	NPD	A	R9	PC6	PN12	NPD
Onda	49 x 49 x 0,97cm	8400	≥ 12°	NPD	NPD	A	s.c.	NPD	PN12	NPD
Onda	49 x 49 x 0,97cm	8401	≥ 12°	NPD	NPD	A	s.c.	NPD	PN12	NPD
Onda	49 x 49 x 0,97cm	8402	≥ 12°	NPD	NPD	A	s.c.	NPD	PN12	NPD
Onda	49 x 49 x 0,97cm	8403	≥ 12°	NPD	NPD	A	s.c.	NPD	PN12	NPD
Onda	49 x 49 x 0,97cm	8404	≥ 12°	NPD	NPD	A	s.c.	NPD	PN12	NPD
Onda	M 50 x 50 x 0,97 cm	8400	≥ 12°	NPD	NPD	A	s.c.	NPD	PN12	NPD
Onda	M 50 x 50 x 0,97 cm	8401	≥ 12°	NPD	NPD	A	s.c.	NPD	PN12	NPD
Onda	M 50 x 50 x 0,97 cm	8402	≥ 12°	NPD	NPD	A	s.c.	NPD	PN12	NPD
Onda	M 50 x 50 x 0,97 cm	8403	≥ 12°	NPD	NPD	A	s.c.	NPD	PN12	NPD
Onda	M 50 x 50 x 0,97 cm	8404	≥ 12°	NPD	NPD	A	s.c.	NPD	PN12	NPD
Orion	32 x 32 x 0,8 cm	8235	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
Orion	32 x 32 x 0,8 cm	8236	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
Orion	32 x 32 x 0,8 cm	8237	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
Orion	32 x 32 x 0,8 cm	8238	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
Orion	33 x 33 x 0,8 cm	8235	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
Orion	33 x 33 x 0,8 cm	8236	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
Orion	33 x 33 x 0,8 cm	8237	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
Orion	33 x 33 x 0,8 cm	8238	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
Pedra Luna	49 x 49 x 0,97 cm	8700	≥ 12°	> 11°	36	A	R10	PC10	PN12	Clase 2
Pedra Luna	49 x 49 x 0,97 cm	8703	≥ 12°	> 11°	36	A	R10	PC10	PN12	Clase 2
Pedra Luna	49 x 49 x 0,97 cm	8704	≥ 12°	> 11°	36	A	R10	PC10	PN12	Clase 2
Pedra Luna	49 x 49 x 0,97 cm	8705	≥ 12°	> 11°	36	A	R10	PC10	PN12	Clase 2
Pedra Luna	49 x 99 x 1,1 cm	8700	≥ 12°	> 11°	36	A	R10	PC10	PN12	Clase 2

Escorregamento Slipperiness ❖ Glissance ❖ Rutschung ❖ Scivolosità										
Série Range Série Serie Serie	Formato Size Format Formato	Referência Reference Référence Referenz Codici	(EU) CEN TS 16165			(DE) DIN		(FR) NF		(ES) CTC
			A	B	C	51097	51130	XP P 05-010		
			Barefoot	Shod	TRL			PC	PN	
Pedra Luna	49 x 99 x 1,1 cm	8703	≥ 12°	> 11°	36	A	R10	PC10	PN12	Clase 2
Pedra Luna	49 x 99 x 1,1 cm	8704	≥ 12°	> 11°	36	A	R10	PC10	PN12	Clase 2
Pedra Luna	49 x 99 x 1,1 cm	8705	≥ 12°	> 11°	36	A	R10	PC10	PN12	Clase 2
Pedra Luna	M 50 x 50 x 0,97 cm	8700	≥ 12°	> 11°	36	A	R10	PC10	PN12	Clase 2
Pedra Luna	M 50 x 50 x 0,97 cm	8703	≥ 12°	> 11°	36	A	R10	PC10	PN12	Clase 2
Pedra Luna	M 50 x 50 x 0,97 cm	8704	≥ 12°	> 11°	36	A	R10	PC10	PN12	Clase 2
Pedra Luna	M 50 x 50 x 0,97 cm	8705	≥ 12°	> 11°	36	A	R10	PC10	PN12	Clase 2
Pulsar	M 40 x 40 x 0,87 cm	8175	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
Pulsar	M 40 x 40 x 0,87 cm	8176	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
Pulsar	M 40 x 40 x 0,87 cm	8177	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
Pulsar	M 40 x 40 x 0,87 cm	8178	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
Quartzite	49 x 99 x 1,1 cm	8640	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
Quartzite	49 x 99 x 1,1 cm AD	8640	≥ 12°	> 11°	NPD	A	R10	PC10	PN12	NPD
Royal	M 40 x 40 x 0,87 cm	8370	≥ 12°	≥ 6°	NPD	A	R9	PC6	PN12	NPD
Royal	M 40 x 40 x 0,87 cm	8371	≥ 12°	≥ 6°	NPD	A	R9	PC6	PN12	NPD
Royal	M 40 x 40 x 0,87 cm	8372	≥ 12°	≥ 6°	NPD	A	R9	PC6	PN12	NPD
Royal	M 40 x 40 x 0,87 cm	8373	≥ 12°	≥ 6°	NPD	A	R9	PC6	PN12	NPD
Royal	M 40 x 40 x 0,87 cm	8374	≥ 12°	≥ 6°	NPD	A	R9	PC6	PN12	NPD
San Carlo	48 x 48 x 0,97 cm P	9014	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
Santa Lucia	48 x 48 x 0,97 cm P	9012	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
Siena	33 x 33 x 0,8 cm	8155	NPD	> 11°	NPD	s.c.	R10	PC10	NPD	NPD
Siena	33 x 33 x 0,8 cm	8156	NPD	> 11°	NPD	s.c.	R10	PC10	NPD	NPD
Siena	33 x 33 x 0,8 cm	8157	NPD	> 11°	NPD	s.c.	R10	PC10	NPD	NPD
Siena	33 x 33 x 0,8 cm	8158	NPD	> 11°	NPD	s.c.	R10	PC10	NPD	NPD
Viana	33 x 33 x 0,8 cm	8244	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
Viana	33 x 33 x 0,8 cm	8245	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
Viana	33 x 33 x 0,8 cm	8246	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
Viana	33 x 33 x 0,8 cm	8247	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
Viana	33 x 33 x 0,8 cm	8248	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
Viana	M 40 x 40 x 0,87 cm	8244	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
Viana	M 40 x 40 x 0,87 cm	8245	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
Viana	M 40 x 40 x 0,87 cm	8246	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
Viana	M 40 x 40 x 0,87 cm	8247	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
Viana	M 40 x 40 x 0,87 cm	8248	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD

CINCA - Companhia Industrial de Cerâmica, S.A.
Fiães, 01-07-2014