

EC Declaration of conformity



The undersigned, on behalf of the following manufacturer:

Bernhard Link GmbH & Co. KG
Oststraße 77
D - 56235 Ransbach - Baumbach

Production address: Oststrasse 77 , D - 56235 Ransbach - Baumbach

declares, that the goods

Extruded ceramic tile – floor tile

meet the following Annex ZA requirements of standard EN 14411 group A_b ceramic tiles, definitions, classifications, characteristics and marking – extruded ceramic tile with low water absorption ($0,5 < E \leq 3,0 \%$)

Type and destination of goods:

Extruded ceramic split-tiles, glazed and unglazed, with low water absorption for in- and outside floor-covering, as well as covering of swimming-pools

Requirements to which the goods are in compliance:

Characteristics	Declared value	Reports and remarks
Reaction to fire	A1	See amended decision 96/603/EEC.
Slipperiness On slope surface DIN 51130		See test certificate
Bonding strength	$\geq 0,5$ N/mm	Testing according EN 1348, with bonding adhesives C1 (EN 12004 part 6) and with samples, that were prepared with the actual tiles. Chart 1.a.
Frost resistance	granted	EN ISO 10545-12
Release of dangerous substances - Release of cadmium - Release of lead	no release	EN ISO 10545-15

Name and address of involved laboratories:

Forschungsinstitut für Anorganische Werkstoffe Glas/Keramik GmbH
Heinrich-Meister-Strasse 2 · 56203 Höhr-Grenzhausen

BERNHARD LINK
GmbH & Co KG Oststraße
56235 Ransbach - Baumbach

Name: Torsten Klein
Position: Quality control

Effective: 01.07.2010